

Technical Data Sheet

C 607/TWIN

Order no.:	466 777	
Product designation:	Full Face Mask C 607/TWIN (Class 2)	
Applied standard:	DIN EN 136 (DIN = German Institute for Standardization)	
Utilization:	<p>In connection with respiratory filter of the series 200 (Special thread 66mm) as filtering device.</p> <p>The scope of protection is determined by the product information, technical standards and valid application rules.</p>	
Description:	Faceblank enclose the entire face.	
Materials:	<ul style="list-style-type: none"> Faceblank Fastener for head harness Head harness Inner mask Check valve Disk-Frame Lens Inhalation- and Exhalation valve Exhalation valve cap Filter connector Filter connector-Clip Connector Connector-Clip Speech diaphragm 	<ul style="list-style-type: none"> EPDM (Ethylene-Propylene-Diene-Mixture) Fiber glass reinforced plastic / metal EPDM (Ethylene-Propylene-Diene-Mixture) EPDM (Ethylene-Propylene-Diene-Mixture) Rubber Polyphenylene oxide Polycarbonate Rubber Polyethylene Polypropylene Polyamide Fiberglass reinforced plastic Polyamide Metal
Weight:	approx. 565 gram	
Inhalation resistance:	<p>at 30 l/min, constant flow max. 0.5 mbar (EN 136)</p> <p>at 95 l/min, constant flow max. 1.5 mbar (EN 136)</p> <p>at 160 l/min, constant flow max. 2.5 mbar (EN 136)</p>	
Exhalation resistance:	at 160 l/min, constant flow max. 3.0 mbar (EN 136)	
Marking:	<ul style="list-style-type: none"> Trade mark of manufacturer (LOGO) Product designation Applied standard Manufacture year and -month CE-Identification Notified body Type identifying marking 	
Handling:	<p>Take the Full face mask from the Packing and/or Storage container directly before use.</p> <p>Use the Full face mask in accordance with the instructions.</p>	
Storage conditions:	<p>Ambient temperature. Protect against cold, heat and humidity.</p> <p>Consider conditions noted on the packaging.</p>	
Warning reference:	Please consider the Instructions for use!	
User references:	<p>EKASTU Safety GmbH guarantees the indicated achievement according to class and type. It is to be noted that the laboratory test values can considerably deviate from those which are reached in practice. This can lead to longer or shorter preservation time. The user must read and understand all functional information. In addition, the knowledge of all relevant application rules absolutely necessary (in particular the application rules according to BGR 190 (resp. CEN Report 529 „Respiratory protective devices - Recommendations for selection, application, care and maintenance – guide“)).</p>	