

Technical Data Sheet

C 701

Order no.:	466 701
Product designation:	Full Face Mask C 701 (Class 3) olive/black
Applied standard:	DIN EN 136 (DIN = German Institute for Standardization)
Utilization:	In connection with respiratory filter (standard thread DIN EN 148-1) as filtering device - directly or by means of breathing assistance AIRMATIC. The scope of protection is determined by the product information, technical standards and valid application rules.
Description:	Faceblank enclose the entire face.
Materials:	Faceblank TPR (Thermoplastic Rubber) Head harness EPDM (Ethylene-Propylene-Diene-Mixture) Inner mask TPR (Thermoplastic Rubber) Disk-Frame Polyamide Lens Polycarbonate Inhalation valve Silicone Connector Fiberglass reinforced polyamide Connector-Clip Fiberglass reinforced polyamide
Weight:	approx. 620 g
Inhalation resistance:	at 30 l/min, constant flow max. 0.5 mbar (EN 136) at 95 l/min, constant flow max. 1.5 mbar (EN 136) at 160 l/min, constant flow max. 2.5 mbar (EN 136)
Exhalation resistance:	at 160 l/min, constant flow max. 3.0 mbar (EN 136)
Marking:	Trade mark of manufacturer (LOGO) Product designation Applied standard Manufacture year and -month CE-Identification Notified body Type identifying marking
Handling:	Take the Full face mask from the Packing and/or Storage container directly before use. Use the Full face mask in accordance with the information brochure.
Storage conditions:	Ambient temperature. Protect against cold, heat and humidity. Consider conditions noted on the packaging.
Warning reference:	Please consider the information brochure!
User references:	EKASTU Safety GmbH guarantees the indicated achievement according to class and type. It is to be noted that the laboratory test values can considerably deviate from those, which are reached in practice. The user must read and understand all functional information. Use the Respiratory protective devices with this information brochure, the relevant valid statutory regulations and the safety requirements of the profession associations, particularly the regulations for use in accordance with DGUV Rule 112-190 resp. DIN EN 529 'Respiratory protective devices – recommendation for selection, use, care and maintenance – guidelines'.

TD 466701 English 02-08.22