



Order no.: 466 60

Product designation:

Half Mask Polimask 330

o io i s i a o fil sa a a a i of fil
300 as fil i i i o io i o fil i i as fil i
i i o io i om ss ai li i as a i a a a s
s o of o io is mi s o i fo ma io i alsa a s
a ali a li a io l s



DESCRIPTION

- Adaptability to any kind of face with a good sealing ability
- Low breathing resistance
- Compatible with the use of glasses and goggles
- Easy donning and doffing
- Easy maintenance, washing and disinfection

MAIN FEATURES



Exhalation valve group equip-ped with compensating pre-chamber

Two-piece harness with adjustable buckles and fasteners

Faceblank in EPDM

Threaded connector conforming with European EN 148/1 standard. For use with one filter series 230

PERFORMANCES



Comfort



Ergonomics



Lightnes



Easy maintenance

APPLICATION FIELDS



Industry



Hospital



Chemical Pharmaceutical Industry



Agriculture

MATERIALS

- Faceblank: Ethylene-Propylene-Diene-Mixture (EPDM)
- Fastener for head harness: Polyamide (PA)
- Harness: Ethylene-Propylene-Diene-Mixture (EPDM)
- Inhalation valve: Rubber
- Exhalation valve: Rubber
- Exhalation valve fit: Plastic (ABS)
- Exhalation valve cap: Polyphenylene oxide (PPO)
- Connector: Polypropylene (PP)

WEIGHT

- approx. 145 g

MARKING

- Trade mark of manufacturer (LOGO)
- Product designation
- Applied standard
- Manufacture year and -month
- CE-Identification
- Notified body
- Type identifying marking

DONNING AND USING

- Take the Half mask from the Packing and/or Storage container directly before use
- Use the Half mask in accordance with the information brochure

STORAGE

- Ambient temperature. Protect against cold, heat and humidity
- Consider conditions noted on the packaging

CERTIFICATIONS

- The mask is certified according to EN 140
- For use with particle, gas and combined filters of the series 230 (special thread 95mm)
- Certified according to European Regulation (EU) 2016/425

USER REFERENCES

EKASTU Safety GmbH guarantees the indicated achievement according to class and type. It is to be noted that the laboratory test values can considerably deviate from those, which are reached in practice. The user must read and understand all functional information. Use the Respiratory protective devices with this information brochure, the relevant valid statutory regulations and the safety requirements of the profession associations, particularly the regulations for use in accordance with DGUV Rule 112-190 resp. DIN EN 529 „Respiratory protective devices – recommendation for selection, use, care and maintenance – guidelines“.

TD 466605 English_06-04.24